

Premier Inspection Points for Towable RV's

We appreciate your business and look forward to providing you with the most advanced RV inspection available in today's RV market. So that we may provide you with a thorough inspection, your RV will need to be hooked up to all the utilities: fresh water, electricity, and sewer during the inspection.

Due to the nature of RV absorption refrigerators and the time it takes for these refrigerators to cool the refrigerator must have been in operation for at least 12 hours before an accurate temperature reading can be taken in the freezer and the refrigerator compartments.

This report will consist of 80 to 100 photos or more describing the items that have been identified during the detailed **Premier Towable RV Inspection**.

*The Premier Towable RV Inspection does not include fluid analysis Fluid analyses should be pre-purchased and will be performed at the time of the inspection.

IMPORTANT NOTE: ITEMS THAT ARE <u>NOT</u> **INSPECTED -** The inspector <u>cannot</u> inspect the following components:

- o **Brakes and Wheel Bearings:** Aside from visual inspection of the wheel housings, brakes' evaluation and wheel bearings status cannot be assessed by the inspector. Such items should be assessed by a qualified RV mechanic.
- o Any system or appliance located behind an access panel, wall panel or other secured covering: Aside from the 120 VAC electrical panel cover which is removed to view the circuit breakers, fuses and wiring, no wall or access panel may be removed by the inspector to view or inspect a hidden system or applicance. Any such evaluation may be performed by a qualified RV technician should it be necessary.

Please sign and date the last page as acknowledgment of receipt of this document.

ITEMS INSPECTED:

Roof*		
	Inspect and rate the overall Roof Condition.	
	Identify the Roof material type and the sealants that have been applied to the roof.	
	Evaluate the condition of the various sealant and joints around the roofing components.	
	Rate the condition of the roof vents, air conditioners, antenna, other components that are mounted on the roof.	
	Identify areas of concern and potential water intrusion points.	
* N	NOTE: In the event of the persistent deposition of rainwater, snow, or ice on the roof of the RV,	

* <u>NOTE</u>: In the event of the persistent deposition of rainwater, snow, or ice on the roof of the RV, rendering it unsafe for the inspector to physically gain access to the roof and its systems, all roof-related inspection items will be inspected as best can be achieved from a ladder at the edge of the RV roof area.

Sidewall and End Caps

Inspect and identify the material type of the front and rear caps.

acc	Evaluate the aging and general overall condition of the front and rear caps. Inspect and evaluate the appearance and functional condition of the sidewalls, entrance doors, windows and cargo cess doors. Inspect and evaluate any damage, discoloration and delamination of the side wall and end cap components.
Slic	de Out Rooms Identify the types of slideout room drive systems. Identify the type of roof material for the slideout room. Inspect and rate the roof condition. Inspect and evaluate the condition of the seals, sweeps and gaskets for possible damage. Evaluate the attached wiring and utility harness that feed underneath the slide out room.
Aw 	Inspect and identify operational type (manual vs electric) of the awnings, slideout toppers and window awnings. Operate and rate condition of the awning frames and latching mechanisms. Evaluate and rate the condition of fabric material of the awnings.
Cha	assis Turn Signal and Running Lights (12-volt DC) Inspect the condition of the 7-pin connector receptacle. Activate and evaluate the operation of the DOT lights. Visually inspect the chassis battery compartment the electrical connections and batteries.
	O Volt AC Electrical System (house type power) Inspect and rate the condition of the power cord and its connection ends. Identify any damage or repair of the power cord. Remove cover panel of 120-volt circuit breaker box to visually inspect the condition of the wiring, circuit breakers d grounding connections. List any heat discoloration to the wiring and connections. Verify the separation of all the wiring types. Test and verify the output operation of the 120 VAC to 12 VDC converter for charging of the deep cycle batteries.
	nerator- Engine — if installed *strongly recommend performing oil analysis to determine internal combustion engine inponent condition. Identify and note the model, serial number and run hours of the generator. Check oil level. Start, operate and test the onboard generator under load. Test the voltage output and frequency (60 cycles).
	nerator - Radiator - if installed on this model of Generator *strongly recommend performing coolant analysis to termine the condition of the coolant fluid and the internal cooling system. Location of the radiator and cooling fans. Visually inspect the coolant reservoir, radiator and hoses.
Inv	Verter – if installed Identify and note the model and serial number of the inverter. Visually inspect the wiring and electrical connections and fuses/circuit breakers. Place electrical load on inverter to verify proper operation. Test voltage and frequency output of the inverter under fifty percent load.
Co:	ach Battery System – (12-volt DC deep cycle Battery Electrical System) Locate and note the location of the battery stack. Evaluate the condition, age and matched sizing of the battery stack. Evaluate and determine if positive and negative cables are correctly matched for balanced load. Access and visually inspect the wiring, fuse panel and fuses of the 12-volt DC electrical system.

	Evaluate the operation of the fresh water /waste water monitor panel for incorrect tank readings.
	Verify the fresh water connections for the City Water hookup are operational. Verify the onboard fresh water tank and pressure pump system will operate and maintain pressure. Operationally test all fresh water fixtures inside and outside of the RV. Visually inspect the water filtration system (if installed) for leaks and filter placement. OTE: In the event the RV has been winterized to protect against freezing, the fresh water system cannot be beeted and all pertinent components will be designated as such. The inspector can NOT dewinterize and then winterize the RV for the purposes of the inspection.
arou arou *Ne	Operationally test and inspect both waste (gray and black) plumbing systems for leaks under the sinks, shower, and the toilet and discharge lines. Identify the type drain valve controls. Verify the drain valves for both systems will maintain water in their tanks. Operate both drain valves and test for ease of operation. Verify the drain cap is in place and will hold waste water. OTE: In the event the RV has been winterized to protect against freezing, the grey and waste water tem cannot be completely inspected and any pertinent components will be designated as such. The pector can NOT dewinterize and then rewinterize the RV for the purposes of the inspection.
□ gas □	Perform and document LP gas timed leak test at cook top burner spud for 5 minutes at 8 inches of water column pressure. Test the Ground Fault Circuit Interrupter (GFCI) circuits in the 6-foot range of the water areas of the bathroom, hen and exterior receptacles. Test all wall receptacles for correct polarity and ground fault. Test the exterior skin for Hot Skin that would cause electrical shock. Emergency Exit Windows – Verify all safety windows are operational. Fire Extinguisher – Verify unit is secure in bracket and dial indicates extinguisher is fully charged. Smoke/Fire Detector –Test and verify operation of units. Carbon Monoxide Detector (if applicable) – Test and verify operation of unit. LP Gas Detector – Verify gas detection and audio alarm. Document expiration date of detector. Verify the rubber grommet is properly sealed around LP gas line of water heater.
	Gas System Visually inspect all hoses and pressure regulators for damage and age deterioration. Verify plastic cover has been installed over regulator. On Split tank system verify the red colored single stage regulator is installed. ME tank - if equipped
	If tank is visible, conduct a visual inspection of tank for rust or physical damage. List the location of the tank. Document the manufacture date of the ASME tank if accessible. List the gallon capacity of the tank.
	Identify the brand, model and type of refrigerator. Note the location of the vent panels used by refrigerator. Operate on all heat sources – 120-volt AC, LP gas and for 3 way refrigerators, 12-volt DC. Collect serial and model number and verify with manufacturer if recall notice has been issued and completed for unit. Visually verify if baffle system on back of refrigerator area is correct and directing heat away from gas coils.

refr	Test for interior temperature of upper and lower refrigerator compartments and ice maker (if installed) *if rigerator has been operating for minimum of 12 hours. Check condition of door frame, shelving, crisper drawers, door shelves and interior light. Evaluate and rate the door gasket seals of freezer and refrigerator box areas.
head	Identify the brand, model and type of water heater. Visually inspect burner assembly and gas exhaust system for blockages and insect infestation. Fill tank with water (if necessary) and verify operation on all heat sources – LP gas and 120-volt AC if equipped with sting element. If installed, operate and verify positioning of bypass valves on back of water heater. Determine if proper drain plug has been installed in water heater tank. If installed, inspect and evaluate if the correct type of dauber screen has been is being used. OTE: In the event the RV has been winterized to protect against freezing, the water heater systems mot be completely inspected and any pertinent components will be designated as such. The inspector is NOT dewinterize and then rewinterize the RV for the purposes of the inspection.
Fur	If accessible, identify the brand, model and type of furnace(s) that have been installed. Identify the type of thermostat controls being used to operate furnace(s). Visually inspect air intake and exhaust assemblies for blockages and insect infestation. Operate and verify warm air discharge out of vents and proper return air flow to unit. Monitor for unusual noise or vibration of blower motor. If installed, inspect and evaluate if the correct type of dauber screen is being used.
Coc	Evaluate and rate the condition of the cook top or stove. List presence and condition of stove top covers. Verify the ignition and operation of all top burners and the oven flame (if equipped). Inspect and rate the condition of the metal grill top and rubber grommets of top burner area. Evaluate the presence of the control knobs, door handles and oven racks of the unit.
□ □ □ □ □	Conditioner(s)* Identify and list the type of cooling unit/heat pump. Perform cooling efficiency test (Delta T) on each unit. Inspect the air filter(s) debris and cleanliness. OTE: In the event the outside air temperature is below 50 degrees Fahrenheit, it may not be possible to termine the cooling capacity of the AC systems due to the limitations of the AC systems to cool the trial testide air further, and the report will designate as such.
Wa	sher/ Dryer (if installed) Visually inspect and verify a wash and rinse cycle of the washer and dryer. Visually inspect for leaks or damaged hoses. Evaluate and rate the exterior condition of the dryer exhaust vent.
Mic - -	Identify and list the brand, model, type and output wattage of the unit. Verify the rack and turn tables are installed. Operate unit for 60 seconds utilizing cup of water and then list water temperature.
Dis	hwasher (if installed) Identify and list the brand, model and type of unit. Verify operation of unit and inspect for leaks and non-functioning rotating racks and wash bars.

In F	House Vacuum System (if installed) Identify and list the brand, model and type of unit. Verify the operation and visually inspect the various components of the hose assembly, access doors and dirt bag.
Elec	ctric Fireplace (if installed) Identify and list the brand, model and type of unit. Operate and verify the various heat settings, fan speed levels and the back lighting.
	ok Top Exhaust Fan Operate and verify condition of the exhaust function and fan speeds. Visually inspect the filter and lighting. Evaluate and rate the exterior condition of the exhaust vent.
Cei	ling Mounted Fans (if installed) and Ceiling Exhaust Vents Visually inspect the condition of the blades and motor. Operate and verify condition of the blade direction and fan speeds. Verify lighting if equipped.
□ and	Perior Conditions and Appearance Visually inspect all ceilings, walls, interior doors and flooring for signs of water intrusion, surface damage large large large. Operate all windows and doors noting any deficiencies or missing components. Evaluate the window coverings. Operate all interior, exterior and décor lighting - 12-volt and 120-volts.
	Inspect and evaluate all cabinet doors, drawers and pull out operation. Visually inspect all counter tops and flat surface areas of the kitchen, living room, bathroom, bedroom and storage as for scratches and damage. Identify and list all broken and loose cabinet and closet hardware. Note if appearance of previous damage repairs have been performed.
Fur	niture Visually inspect the condition of the dinette table/booth, chairs, recliners and sofa. Inspect and note furniture fabric tears, discoloration and signs of excessive wear. Visually inspect and note signs of mattress damage or staining.
□ □ □ □ □ □ □ × N ⋅ sys	Visually inspect and operate all TV and stereo equipment. Verify DVD/disc players and radios are operational.* Verify local channels antenna and 12-volt DC power signal booster is operational. Raise and lower roof mounted antenna if equipped. Verify remotes are operational. ote: In the event that a vintage RV is being inspected with electronics containing VHS or cassette tape tems, these systems will NOT be tested except to power them on. Confirmation of operation with propriate media is up to the buyer.
	Visually inspect the glass panels, curtains and soap dish areas. Evaluate and rate the seals around the frame work and doors for water leaks. Operate the door and latch system to verify its operation. Inspect and evaluate the stains and chemical/mineral buildup.

	Type and number of axles.		
	Weight Ratings for Each Axle Set.		
	Inspect the frame, axles, springs, rims and other components for rust, oil stains and visible damage.		
	Document the information on the tires as to their age, tire tread condition and weight capacities.		
	Check tire pressure.		
	Inspect and rate tire tread condition.		
	Note any valve extensions and pressure monitors.		
Hitc	ch System/Hook Up (if installed)		
	Inspect and identify the type of system used to tow vehicles.		
	Evaluate and list modifications to hitch system.		
Weight Labels and Data Plates			
	Identify and document the Vehicle Identification Number (VIN).		
	Document the License plate info.		
	List the Inspection sticker information – if applicable.		
	List the RVIA inspection seal number.		
	List the Gross Vehicle Weight Rating.		
	List date of manufacturer.		
	List the Manufacturer's Build Sheet (if available).		
	List Owner Stated Comments (if present).		